

日期

103年8月11日

內容摘要：

(填寫說明：

1. 如有附件請註明，如簡報檔、全文檔等
2. 需有問題與討論：請註明姓名並包含醫學倫理及EBM之應用
3. 需有總結，請註明做結論者【主持人】姓名
4. 請自行編排頁碼)

六大核心能力

- 病人照護
- 人際溝通技能
- 醫學知識
- 從工作學習及成長
- 專業素養
- 制度下之臨床工作

Journal reading

B2同新園會議室

Supervisor: VS 陳欣俊

Presenter: R2 施膺柔

PGY 林筱澗

[Q&A]:

Q (VS 陳欣俊): 吞食異物

A (R2 施膺柔): 長 6 cm 寬 2 cm 之磚大部分可自行排出

常見部位 pylorus, ileocecal valve 處。

Q (VS 陳欣俊): 拉鍊夾 (夾住) 住 skin 時

A (R2 施膺柔): Mineral oil, screw driver, cutting the median bar of the connector

Q (VS 陳欣俊): New technology of 拉鍊夾住 skin management

A (R2 施膺柔): <sup>Paper</sup> 麻醉, 把拉鍊門近衣服剪開, mineral oil 潤滑

~~Needle~~ Needle holder 夾住一側, 慢慢拉開拉鍊

Q (VS 陳欣俊): <sup>Paper</sup> Pediatric 誤食 Anti-hypertensive drug

A (PGY 陳勝偉):  $\beta$ -blocker: Dose 跟症狀無顯著相關

ACEI/ARB: Dose 跟症狀無顯著相關

CCB: No obvious SIS

Maxoxidine & clonidine: symptomatic poisoning

內容摘要 (續):

Q (VS 陳欣倫): 誤食高血壓藥物治療處置

A (R2 鄭凱文): 此篇 paper 建議 誤食 moxonidine & clonidine  
需留醫院觀察

Q (VS 陳欣倫): Canadian CT Head rule

A (PGY 林筱琪): **EBM** GCS score  $\leq 15$  at 2 hr after injury  
Suspect open or depressed skull fx  
Any sign of basal skull fx  
Vomiting  $\geq 2$  episode  
Age  $\geq 65$  yo  
Amnesia before impact  $\geq 30$  min  
Dangerous mechanism

Q (VS 陳欣倫): Canadian CT Head rule - sign of basal skull fx

A (PGY 林筱琪): Hemotympanum, Raccoon eye, CSF rhinorrhoea/otorrhoea  
Battle's sign

Q (VS 陳欣倫): Canadian CT Head rule - Dangerous mechanism

A (R2 劉邦胤): pedestrian struck by vehicle  
occupant ejected from motor vehicle  
fall from elevation  $\geq 3$  feet or 5 stairs

Q (VS 陳欣倫): <sup>Paper</sup> High severity missing rate of fx by CT

A (PGY 林筱琪):  $\approx 20\%$  (跟之前 paper 結果差不多?)

Q (VS 陳欣倫): <sup>Paper</sup> 鼻孔鈕扣電池 Removal method

A (PGY 陳欣倫): 用磁鐵吸

VS Comment: (VS 陳欣倫): 今天提到一些臨床上面遇到的問題可能新

沒方法, 提供大家參考

紀錄者: 吳劉邦胤

新加坡  
內科主任  
王宗倫